U.S. Patest Application 10/598, 515

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

^ \* \* \* \* \* ^ ^ \* \* \* \* \* STN TOKYO \* \* \* ^ \* \* \* \* \* \* \* \* \*

FILE 'HOME' ENTERED AT 20:48:50 ON 21 NOV 2008

=> file reg COST IN JAPANESE YEN

SINCE FILE TOTAL. ENTRY SESSION 28 28

**EXHIBIT** 

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 20:48:57 ON 21 NOV 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the 2fC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 NOV 2008 HIGHEST RN 1073589-44-2 DICTIONARY FILE UPDATES: 20 NOV 2008 HIGHEST RN 1073589-44-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=> \$ 848667-77-6 1 848667-77-6 (848667-77~6/RN)

=> d ful 'FUL' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

REG - RN

SAM - Index Name, MF, and structure - no RN FIDE - All substance data, except sequence data

IDE - FIDE, but only 50 names SQIDE - IDE, plus sequence data

SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used

5QD - Protein sequence data, includes RN

- Same as SQD, but 3-letter amino acid codes are used SQD3

SQN - Protein sequence name information, includes RN

EPROP - Table of experimental properties - Table of predicted properties PPROP - EPROP, ETAG, PPROP and SPEC PROP

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats must be cited first. The CA File predefined formats are:

ABS -- Abstract APPS -- Application and Priority Information BIB -- CA Accession Number, plus Bibliographic Data CAN -- CA Accession Number CBIB -- CA Accession Number, plus Bibliographic Data (compressed) IND -- Index Data IPC -- International Patent Classification PATS -- PI, SO STD -- BIB, IPC, and NCL IABS -- ABS, indented, with text labels IBIB -- BIB, indented, with text labels ISTD -- STD format, indented OBIB ----- AN, plus Bibliographic Data (original) OIBIB ----- OBIB, indented with text labels SBIB ----- BIB, no citations SIBIB ----- IBIB, no citations The ALL format gives FIDE BIB ABS IND RE, plus sequence data when it is available. The MAX format is the same as ALL. The IALL format is the same as ALL with BIB ABS and IND indented, with text labels. For additional information, please consult the following help messages: HELP DFIELDS -- To see a complete list of individual display fields. HELP FORMATS -- To see detailed descriptions of the predefined formats. ENTER DISPLAY FORMAT (IDE):fide ANSWER 1 OF 1 REGISTRY COPYRIGHT 2008 ACS on STN Ll RN848667-77-6 REGISTRY Entered STN: 18 Apr 2005 ΕD 9,10-Anthracenediol, 1,4-dihydro-, polymer with 2-(chloromethyl)oxirane CN (CA INDEX NAME) OTHER CA INDEX NAMES: 9,10-Anthracenediol, 1,4-dihydro-, polymer with (chloromethyl)oxirane CN (9CI) DR 910038-23-2, 910038-27-6 MF (C14 H12 O2 . C3 H5 C1 O)x CI PMS PCT Epoxy resin \$R CALC STN Files: CA, CAPLUS, USPATZ, USPATFULL DT.CA CAplus document type: Patent Roles from patents: PREP (Preparation); USES (Uses) RL.P Roles for non-specific derivatives from patents: PREP (Preparation); RLD. P PRP (Properties) Ring System Data Elemental|Elemental| Size of |Ring System| Ring | RID Analysis | Sequence | the Rings | Formula | Identifier | Occurrence | ES | SZ | RF | RID | Count C20 1002 13 |C20 |1.30.1 | 1 in CM 1 12 - 1 C6-C6-C6 | C6-C6-C6 | 6-6-6 |C14 |2508.17.52| 1 in CM 1 11

CM

CRN 56136-13-1 CMF C14 H12 O2

```
OH
       OH
     CM
           2
     CRN
          106-89-8
     CMF C3 H5 C1 O
Experimental Property Tags (ETAG)
  PROPERTY
            | NOTE
Melting Point | (1) CAS
NMR Spectra ((1) CAS
Viscosity
              (1) CAS
(l)
        Hayakawa, Atsuhito: US 20050069715 A1 2005 CAPLUS
See HELP PROPERTIES for information about property data sources in REGISTRY.
                4 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
                4 REFERENCES IN FILE CAPLUS (1907 TO DATE)
=> s 155665-67-1
             1 155665-67-1
L2
                  (155665-67-1/RN)
=> d fide
     ANSWER 1 OF 1 REGISTRY COPYRIGHT 2008 ACS on STN
L2
     155665-67-1 REGISTRY
Entered STN: 09 Jun 1994
RN
ED
     Oxirane, 2,2'-[9,10-anthracenediylbis(oxymethylene)]bis- (9CI) (CA INDEX
CN
     NAME)
DR
     1005495-96-4
MF
     C20 H18 O4
CI
     COM
SR
     CA
     STN Files:
                 CA, CAPLUS
DT.CA Caplus document type: Patent
RL.P
       Roles from patents: USES (Uses)
Ring System Data
Elemental|Elemental| Size of |Ring System|
                                               Ring | RID
Analysis | Sequence | the Rings | Formula | Identifier | Occurrence
```

EA | ES

| S2 |

 $\mathtt{RF}$ 

1

RID | Count